

Nanaimo Forklift Training Course

Nanaimo Forklift Training Course - Federal and industry regulators have established the criteria for forklift safety training according to their existing regulations and standards. People wanting to operate a forklift should finish a forklift training course before utilizing one of these equipment. The accredited Forklift Operator Training Program is meant to offer trainees with the knowledge and practical skills to become an operator of a forklift.

There are forklift operation safety regulations which should be followed pertaining to pre-shift checks, and regulations for lifting and loading.

Prior to a shift starting, an inspection checklist needs to be carried out and submitted to the Supervisor or Instructor. If whatever maintenance issue is discovered, the machinery should not be operated until the issue is dealt with. To indicate the machine is out of order, the keys need to be removed from the ignition and a warning tag placed in a visible place.

Loading safety regulations include checking the forklift nameplate's rating capacity and determining if the load weight falls within capacity. The forklift forks must be in the down position when the forklift is starting up. Keep in mind that there is a loss of approximately 100 pounds carrying capacity for every inch further away from the carriage which the load is carried.

In order to safely lift a palletized load, drive the forklift toward the pallet and halt with the fork three inches from the load. Level the mast until it is at right angles to the load. Raise the forks to one inch underneath the slot on the pallet and drive forward. Next lift forks four inches. Tilt back the load to secure it for moving. Drive the lift in reverse if the load obscures frontal vision. Check behind and honk to warn other staff. Do not allow forks to drag on the ground.

The load must be loaded by the forklift in such a way that ensures the load is secure and would not cause a danger to other objects or people. Restraining loads is necessary for materials which can shift during transport and destabilize the forklift.

In order to prevent the movement of drums, drums could be strapped together to decrease movement. Operators of forklifts must drive slowly when lifting liquids, to reduce instability in the forklift.